



ACOUSTIC SOLUTIONS

2026 Habitat™ Collection

ACOULINE ACOUSTICS

We often focus on what we see – the light, the colours, and the layout. However, the most successful working spaces are those designed for what we hear. Acoustic boards are the essential bridge between a beautiful room and a functional one.

Whether in a bustling open-plan office, an educational space, or a creative studio, acoustic boards are the primary tool used to tune an environment for human comfort and peak performance.

As we move toward more collaborative and flexible environments, the noise of our daily lives has risen. Without acoustic treatment, these spaces become exhausting. In the modern landscape of open-plan offices and studious educational hubs, the invisible element of sound dictates the quality of our work. While visual design sets the tone, acoustic design defines the experience.

Acouline’s specialised porous materials intercept and absorb sound waves, significantly reducing reverberation and the “echo chamber” effect common in modern architecture. Available in an expansive palette of colours and sophisticated patterns, these boards offer a versatile toolkit for any design aesthetic. Whether you are outfitting a collaborative office or a quiet study hub, Acouline provides the technical excellence needed to harmonise your space’s visual and auditory experience.

Contents

CONTENTS	
Why Acouline?	4
Colour Range	7
WALL PANELS	8-11
WORKSTATION SOLUTIONS	12-23
Desk Mounted Screens	13
Boost & Halo Screens	15
Slide On Screens	17
Double End Wrap Screen	19
Single End Wrap Screen	20-21
Screen Clamps	22-23


WHY ACOULINE?

Acoustics are a fundamental architectural layer. Rather than treating sound as an afterthought, Acouline merges precision engineering with sophisticated textures to curate atmosphere with intent.

At Acouline, we believe that a space should support the people within it, and that silence isn't only the absence of noise, but the presence of focus. In environments where communication and deep attentiveness coexist, untreated surfaces reflect sound waves, creating echoes and overlapping chatter. Our solutions are engineered to intercept these reflections, transforming collaborative environments into balanced, high-performance zones. Choose from a rich array of textures and colours to create a custom geometric installation that complements your brand identity.


Acouline boards are engineered to provide the technical infrastructure to ensure that your design is experienced in perfect clarity. By managing the invisible, we make the visible more impactful.





Habitat™ Collection

Inspired by the natural world, The Habitat Collection brings together 14 timeless colours that echo the tones of earth, water, and foliage. Designed with sustainability at its core, this palette creates calm, functional spaces that connect people back to nature. From soft neutrals to rich accents, The Habitat Collection offers designers a versatile foundation for interiors that are as environmentally responsible as they are beautiful.

- | | | |
|---|--|---|
|  Reed (#320) |  Moss (#090) |  Mist (#500) |
|  Ember (#120) |  Drift (#130) |  Flint (#030) |
|  Lake (#170) |  Frost (#380) |  Char (#040) |
|  Stream (#240) |  Truffle (#080) |  Coal (#070) |
|  Fern (#420) |  Clay (#370) | |



WALL PANELS

Acouline Wall Panels serve as a functional design statement, turning vast, reflective surfaces into powerful sound-absorbing features. By breaking up parallel wall reflections, these panels eliminate flutter echoes and sharpen speech clarity for meetings and presentations. With contemporary design at their core, Acouline Wall Panels prove that you don't have to sacrifice style to achieve a perfectly balanced acoustic environment.

NRC: 0.85
Composition: 100% Polyester [PET]
Fire Rating: ASTM E-84-15a Class A
Warranty: 10 Years

Acouline Wall Panels



Habitat Clay™

V Groove - Glide Pattern

CODE	WIDTH	HEIGHT	THICKNESS
AP-12WPVGG2812	1200mm	2780mm	12mm
AP-24WPVGG2812	1200mm	2780mm	24mm



Habitat Frost™

V Groove - Ascend Pattern

CODE	WIDTH	HEIGHT	THICKNESS
AP-12WPVGA2812	1200mm	2780mm	12mm
AP-24WPVGA2812	1200mm	2780mm	24mm



Habitat Fern™

V Groove - Horizon Pattern

CODE	WIDTH	HEIGHT	THICKNESS
AP-12WPVGH2812	1200mm	2780mm	12mm
AP-24WPVGH2812	1200mm	2780mm	24mm

Acouline Wall Panels



Habitat Truffle™



Habitat Mist™




Habitat Moss™



Habitat Lake™



Habitat Flint™



Habitat Stream™

Form Pattern

CODE	WIDTH	HEIGHT	THICKNESS
AP-12WPF02812	1200mm	2780mm	12mm
AP-24WPF02812	1200mm	2780mm	24mm

Bond Pattern

CODE	WIDTH	HEIGHT	THICKNESS
AP-12WPB02812	1200mm	2780mm	12mm
AP-24WPB02812	1200mm	2780mm	24mm

Grid Pattern

CODE	WIDTH	HEIGHT	THICKNESS
AP-12WPGR2812	1200mm	2780mm	12mm
AP-24WPGR2812	1200mm	2780mm	24mm

Original Pattern

CODE	WIDTH	HEIGHT	THICKNESS
AP-12WPOG2812	1200mm	2780mm	12mm
AP-24WPOG2812	1200mm	2780mm	24mm

Herringbone Pattern

CODE	WIDTH	HEIGHT	THICKNESS
AP-12WPHB2812	1200mm	2780mm	12mm
AP-24WPHB2812	1200mm	2780mm	24mm

Cove Pattern

CODE	WIDTH	HEIGHT	THICKNESS
AP-12WPC02812	1200mm	2780mm	12mm
AP-24WPC02812	1200mm	2780mm	24mm



DESK MOUNTED SCREENS

A subtle layer of privacy for the modern workstation. Acouline Desk Mounted Screens sit lightly on the desk surface, helping soften the everyday distractions of open-plan environments. Multiple mounting options allow them to integrate across a wide range of desk systems, while three heights and two panel thicknesses provide flexibility, and their soft, radial corners complete the form with a calm, considered edge.

NRC: 0.85
Composition: 100% Polyester [PET]
Fire Rating: ASTM E-84-15a Class A
Warranty: 10 Years

Clamps sold separately

Desk Mounted Screens

300mm Height Screens



AP-12DSC7430 Drift



AP-12DSC11930 Drift



AP-12DSC14930 Drift



AP-12DSC17930 Drift

CODE	WIDTH	HEIGHT	THICKNESS
AP-12DSC7430	740mm	300mm	12mm
AP-12DSC11930	1190mm	300mm	12mm
AP-12DSC14930	1490mm	300mm	12mm
AP-12DSC17930	1790mm	300mm	12mm
AP-24DSC7430	740mm	300mm	24mm
AP-24DSC11930	1190mm	300mm	24mm
AP-24DSC14930	1490mm	300mm	24mm
AP-24DSC17930	1790mm	300mm	24mm

400mm Height Screens



AP-12DSC7440 Char



AP-12DSC14940 Char



AP-12DSC17940 Char

CODE	WIDTH	HEIGHT	THICKNESS
AP-12DSC7440	740mm	400mm	12mm
AP-12DSC11940	1190mm	400mm	12mm
AP-12DSC14940	1490mm	400mm	12mm
AP-12DSC17940	1790mm	400mm	12mm
AP-24DSC7440	740mm	400mm	24mm
AP-24DSC11940	1190mm	400mm	24mm
AP-24DSC14940	1490mm	400mm	24mm
AP-24DSC17940	1790mm	400mm	24mm

600mm Height Screens



AP-12DSC7460 Lake



AP-12DSC17960 Lake

CODE	WIDTH	HEIGHT	THICKNESS
AP-12DSC7460	740mm	600mm	12mm
AP-12DSC11960	1190mm	600mm	12mm
AP-12DSC14960	1490mm	600mm	12mm
AP-12DSC17960	1790mm	600mm	12mm
AP-24DSC7460	740mm	600mm	24mm
AP-24DSC11960	1190mm	600mm	24mm
AP-24DSC14960	1490mm	600mm	24mm
AP-24DSC17960	1790mm	600mm	24mm



WORKSTATION SCREENS

Bring peace and privacy directly to the desktop with Acouline Workstation Panels designed for the individual user. These high-density dividers create a personal acoustic cocoon, shielding staff from the immediate distractions of keyboards, phone calls, and nearby conversations. Use with Boost and Halo height adjustable desk systems to foster deep focus in high-energy environments. By treating noise at the source, these panels empower employees to perform at their peak throughout the day.

NRC: 0.85
Composition: 100% Polyester [PET]
Fire Rating: ASTM E-84-15a Class A
Warranty: 10 Years

Clamps sold separately

Boost & Halo Screens

900mm H Screens for Boost and Halo



AP-24DSC7590 Flint



AP-24DSC18090 Flint

CODE	WIDTH	HEIGHT	THICKNESS
AP-24DSC7590	750mm	900mm	24mm
AP-24DSC12090	1200mm	900mm	24mm
AP-24DSC15090	1500mm	900mm	24mm
AP-24DSC18090	1800mm	900mm	24mm

- Suits Boost and Halo workstations only

12mm Thick Three-Quarter Mount Screens



AP-123QDS7560 Char



AP-123QDS18060 Char

CODE	WIDTH	HEIGHT	THICKNESS
AP-123QDS7560	750mm	600mm	12mm
AP-123QDS12060	1200mm	600mm	12mm
AP-123QDS15060	1500mm	600mm	12mm
AP-123QDS18060	1800mm	600mm	12mm

- Suits Boost and Halo workstations only
- 420mm above desktop height
- 180mm below desktop height
- Holes included in screen, brackets not included

24mm Thick Three-Quarter Mount Screens



AP-243QDS12060 Coal



AP-243QDS18060 Coal

CODE	WIDTH	HEIGHT	THICKNESS
AP-243QDS7560	750mm	600mm	24mm
AP-243QDS12060	1200mm	600mm	24mm
AP-243QDS15060	1500mm	600mm	24mm
AP-243QDS18060	1800mm	600mm	24mm

- Suits Boost and Halo workstations only
- 420mm above desktop height
- 180mm below desktop height
- Holes included in screen, brackets not included



SLIDE ON SCREENS

Acouline Slide On Screens install in seconds, sliding directly onto the desk for a clean and unobtrusive fit. Designed for simplicity, these integrated return screens introduce a gentle sense of enclosure between neighbouring users, shaping individual work zones while preserving the visual openness of the workspace.

NRC: 0.85
Composition: 100% Polyester [PET]
Fire Rating: ASTM E-84-15a Class A
Warranty: 10 Years

Clamps sold separately

Slide On Screens

Bloc Cut Slide On Screen

CODE	WIDTH	HEIGHT	THICKNESS
AP-12BCDS8030	800mm	300mm	12mm
AP-12BCDS8040	800mm	400mm	12mm
AP-12BCDS8060	800mm	600mm	12mm
AP-24BCDS8030	800mm	300mm	24mm
AP-24BCDS8040	800mm	400mm	24mm
AP-24BCDS8060	800mm	600mm	24mm

Hook Cut Slide On Screen

CODE	WIDTH	HEIGHT	THICKNESS
AP-12HODS8030	820mm	300mm	12mm
AP-12HODS8040	820mm	400mm	12mm
AP-12HODS8060	820mm	600mm	12mm
AP-24HODS8030	820mm	300mm	24mm
AP-24HODS8040	820mm	400mm	24mm
AP-24HODS8060	820mm	600mm	24mm

Bloc Cut



Hook Cut





END WRAP SCREENS

Reshape your cubicle with a continuous gesture around the workstation. Acouline End Wrap Screens extend beyond the desktop, wrapping around the ends to create a more defined and protected work setting. The result is a quiet architectural frame that helps stylishly mute nearby distractions. Two heights and two panel thicknesses allow the screen to adapt to different workspace needs.

End Wrap Return Length: 400mm
Corners: Radial

NRC: 0.85
Composition: 100% Polyester [PET]
Fire Rating: ASTM E-84-15a Class A
Warranty: 10 Years

Clamps sold separately

Double End Wrap Screens - 90° Cut

600mm Height Double Wrap Screen

CODE	WIDTH	HEIGHT	THICKNESS
AP-123QWSC20060	2000mm	600mm	12mm
AP-123QWSC23060	2300mm	600mm	12mm
AP-123QWSC26060	2600mm	600mm	12mm
AP-243QWSC20060	2000mm	600mm	24mm
AP-243QWSC23060	2300mm	600mm	24mm
AP-243QWSC26060	2600mm	600mm	24mm

- 420mm above desktop height
- 180mm below desktop height
- Holes included in screen, brackets not included

800mm Height Double Wrap Screen

CODE	WIDTH	HEIGHT	THICKNESS
AP-123QWSC20080	2000mm	800mm	12mm
AP-123QWSC23080	2300mm	800mm	12mm
AP-123QWSC26080	2600mm	800mm	12mm
AP-243QWSC20080	2000mm	800mm	24mm
AP-243QWSC23080	2300mm	800mm	24mm
AP-243QWSC26080	2600mm	800mm	24mm

- 620mm above desktop height
- 180mm below desktop height
- Holes included in screen, brackets not included

600mm Height



AP-123QWSC20060 Drift



AP-123QWSC23060 Char



AP-123QWSC26060 Lake

800mm Height



AP-123QWSC20080 Drift



AP-123QWSC23080 Char



AP-123QWSC26080 Lake

Single End Wrap Screens 90° Cut - 600mm Height

600mm Height - Left Hand Side

CODE	WIDTH	HEIGHT	THICKNESS
AP-123QWSC16060L	1600mm	600mm	12mm
AP-123QWSC19060L	1900mm	600mm	12mm
AP-123QWSC22060L	2200mm	600mm	12mm
AP-243QWSC16060L	1600mm	600mm	24mm
AP-243QWSC19060L	1900mm	600mm	24mm
AP-243QWSC22060L	2200mm	600mm	24mm

- 420mm above desktop height
- 180mm below desktop height
- Holes included in screen, brackets not included

600mm Height - Right Hand Side

CODE	WIDTH	HEIGHT	THICKNESS
AP-123QWSC16060R	1600mm	600mm	12mm
AP-123QWSC19060R	1900mm	600mm	12mm
AP-123QWSC22060R	2200mm	600mm	12mm
AP-243QWSC16060R	1600mm	600mm	24mm
AP-243QWSC19060R	1900mm	600mm	24mm
AP-243QWSC22060R	2200mm	600mm	24mm

- 620mm above desktop height
- 180mm below desktop height
- Holes included in screen, brackets not included

Left Hand Wrap



AP-123QWSC16060-L Truffle



AP-123QWSC19060-L Clay



AP-123QWSC22060-L Ember

Right Hand Wrap



AP-123QWSC16060-R Truffle



AP-123QWSC19060-R Clay



AP-123QWSC22060-R Ember

Single End Wrap Screens 90° Cut - 800mm Height

800mm Height - Left Hand Side

CODE	WIDTH	HEIGHT	THICKNESS
AP-123QWSC16080L	1600mm	800mm	12mm
AP-123QWSC19080L	1900mm	800mm	12mm
AP-123QWSC22080L	2200mm	800mm	12mm
AP-243QWSC16080L	1600mm	800mm	24mm
AP-243QWSC19080L	1900mm	800mm	24mm
AP-243QWSC22080L	2200mm	800mm	24mm

- 420mm above desktop height
- 180mm below desktop height
- Holes included in screen, brackets not included

800mm Height - Right Hand Side

CODE	WIDTH	HEIGHT	THICKNESS
AP-123QWSC16080R	1600mm	800mm	12mm
AP-123QWSC19080R	1900mm	800mm	12mm
AP-123QWSC22080R	2200mm	800mm	12mm
AP-243QWSC16080R	1600mm	800mm	24mm
AP-243QWSC19080R	1900mm	800mm	24mm
AP-243QWSC22080R	2200mm	800mm	24mm

- 620mm above desktop height
- 180mm below desktop height
- Holes included in screen, brackets not included

Left Hand Wrap



AP-123QWSC16080-L Clay



AP-123QWSC19080-L Clay



AP-123QWSC22080-L Ember

Right Hand Wrap



AP-123QWSC16080-R Clay



AP-123QWSC19080-R Clay



AP-123QWSC22080-R Ember

Screen Clamps for Mounting

Desk Mounted Screen Clamp



CODE	COLOUR	MOUNTING TYPE	WIDTH	DEPTH	HEIGHT
EPSCLAMP BK	Black	For Single Desks	45mm	59mm	82mm
EPSCLAMP WH	White	For Single Desks	45mm	59mm	82mm

- Set of 2 clamps
- Available in Black or White powdercoat finish
- Use EPSCLAMP to add a desk mounted screen to any workstation for privacy and sound reduction
- The desk mounted clamps fix screens to workstations in a clean and easy way by mounting straight onto the desk
- 5 year warranty

Back to Back Mounted Screen Clamp



CODE	COLOUR	MOUNTING TYPE	WIDTH	DEPTH	HEIGHT
BTBEPSC BK	Black	For Back to Back	45mm	72mm	92mm
BTBEPSC WS	White	For Back to Back	45mm	72mm	92mm

- Set of 2 clamps
- Available in Black or White powdercoat finish
- Use BTBEPSC to add a desk mounted screen to any back to back workstation for privacy and sound reduction between users
- The back to back mounted clamps fix screens to workstations in a clean and easy way by mounting from under the desk
- 5 year warranty

Side Mounted Screen Clamp



CODE	COLOUR	MOUNTING TYPE	WIDTH	DEPTH	HEIGHT
EPSMC BK	Black	For Side Mounting	45mm	53mm	94mm
EPSMC WS	White	For Side Mounting	45mm	53mm	94mm

- Set of 2 clamps
- Available in Black or White powdercoat finish
- Use EPSMC to add a side mounted screen to any workstation for more space on your desk top, for privacy and sound reduction
- The side mounted clamps fix screens to workstations in a clean and easy way by mounting from under the desk
- 5 year warranty

3-Quarter Mount Screen Clamp



CODE	COLOUR	MOUNTING TYPE	WIDTH	DEPTH	HEIGHT
EP3QB BK	Black	Above and Below Desk	25mm	60mm	125mm
EP3QB WH	White	Above and Below Desk	25mm	60mm	125mm
EP3QB CH	Chrome	Above and Below Desk	25mm	60mm	125mm

- Set of 2 clamps
- Available in Black, White, or Chrome finish
- Use this clamp for 600H screens which sit both above and below desk to function as both a screen and modesty panel
- Screen sits 420mm above desktop height and 180mm below desktop height
- Mounts to bottom of work surface
- 5 year warranty

2026 Habitat™ Collection



 **FURNX**

Furnx Queensland

2B / 39 Johnstone Road,
Brendale QLD 4500

Furnx New South Wales

Unit 6 / 2 Southridge Street,
Eastern Creek NSW 2766

Furnx Victoria

3/ 9-19 Leakes Road,
Laverton North, VIC 3026

Furnx South Australia

2 Pope Court,
Beverly SA 5009

Furnx Western Australia

Unit 2 / 26 Callaway Street,
Wangara WA 6065